

EAST - [lined duct:2]

File View Edit Tools Window Help

Drafts  
 IS&R:  
 Pending  
 Active

- L1: (225) (296/37.2).CCLS.
- L2: (38) (296/187.11).CCLS.
- L3: (0) (296/203.4).CCLS.
- L4: (125) (296/203.04).CCLS.
- L6: (5) 15 and tire
- L5: (394) (296/30).CCLS.
- L8: (39) 17 and tire
- L7: (558) (296/204).CCLS.
- L9: (335) L7 and rear
- L10: (0) ("11and12and17").PN.
- L11: (1) 11 and 12 and 17
- L12: (1) 11 and 17
- L13: (1) 11 and 15
- L14: (0) 12 and 13 and 15
- L15: (1) 12 and 15
- L16: (26) 17 and 15
- L17: (11) Combined citation search 1
- L18: (13) Combined citation search 2

Failed  
 "138"/\$.ccls. and line\$

Search List Browse Queue Clear  
DBs US-PGPUB; USPAT; USOCR Plurals  
Default operator: OR Highlight all hit terms initially

( "3541668" | "4848835" | "4875733" | "5018780" |  
"5110177" | "5180206" | "5409289" | "5472259" |  
"5567005" ).PN. OR ( "5829824" ).URPN.

Structured form Custom form BRS form IS&R form Hits Details Images

	U	I	Document ID	Issue Date	Page	Title	Current
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4563035 A	19860107	9	Automobile rear body structure	296/203.0
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4848835 A	19890718	13	Vehicle frame rail assembly and underbody	296/204
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5409289 A	19950425	7	Cross member assembly for a vehicle frame	296/204
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5567005 A	19961022	13	Car body work sub-frame mounting structure	296/204
5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5829824 A	19981103	11	Vehicle rear body structure and method of	296/204

BRS form IS&R form Hits Details HTML

Ready NUM

BEST AVAILABLE COPY

EAST - [lined duct:2]

File View Edit Tools Window Help

Drafts  
IS&R:  
Pending  
Active  
L1: (225) (296/37.2).CCLS.  
L2: (38) (296/187.11).CCLS.  
L3: (0) (296/203.4).CCLS.  
L4: (125) (296/203.04).CCLS.  
L6: (5) 15 and tire  
L5: (394) (296/30).CCLS.  
L8: (39) 17 and tire  
L7: (558) (296/204).CCLS.  
L9: (335) L7 and rear  
L10: (0) ("l1andl2andl7").PN.  
L11: (1) 11 and 12 and 17  
L12: (1) 11 and 17  
L13: (1) 11 and 15  
L14: (0) 12 and 13 and 15  
L15: (1) 12 and 15  
L16: (26) 17 and 15  
L17: (11) Combined citation search 1  
L18: (13) Combined citation search 2

Failed  
"138"/\$.ccls. and line\$

Search Buttons: Search, List, Browse, Queue, Clear  
DBs: US-PGPUB; USPAT; USOCR  
Plurals  
Default operator: OR  
Highlight all hit terms initially

( "3541668" | "4848835" | "4875733" | "5018780" |  
"5110177" | "5180206" | "5409289" | "5472259" |  
"5567005" ).PN. OR ( "5829824" ).URPN.

Structured form Custom form BRS form IS&R form Hits Details Images

Type	L #	Hits	Search Text	DBs	Time	Stam	Comment	Error
IS&R	L1	225	(296/37.2).CCLS.	US-P GPUB	2004/12/0 7 06:54			
IS&R	L2	38	(296/187.11).CCLS.	US-P GPUB	2004/12/0 7 06:58			
IS&R	L3	0	(296/203.4).CCLS.	US-P GPUB	2004/12/0 7 06:58			
IS&R	L4	125	(296/203.04).CCLS.	US-P GPUB	2004/12/0 7 07:09			
BRS	L6	5	15 and tire	USPA T	2004/12/0 7 07:10			
IS&R	L5	394	(296/30).CCLS.	US-P GPUB	2004/12/0 7 07:23			
BRS	L8	39	17 and tire	USPA T	2004/12/0 7 07:23			
IS&R	L7	558	(296/204).CCLS.	US-P GPUB	2004/12/0 7 08:18			
BRS	L9	335	L7 and rear	US-P GPUB	2004/12/0 7 08:37			
IS&R	L10	0	("l1andl2andl7").PN.	US-P GPUB	2004/12/0 7 08:38			
BRS	L11	1	11 and 12 and 17	US-P GPUB	2004/12/0 7 08:39			
BRS	L12	1	11 and 17	US-P GPUB	2004/12/0 7 08:39			
BRS	L13	1	11 and 15	US-P	2004/12/0			

BRS form IS&R form Hits Details HTML

Ready

BEST AVAILABLE COPY

**EAST - [lined duct:2]**

**File View Edit Tools Window Help**

**Drafts**

- IS&R:
- Pending
- Active
  - L1: (225) (296/37.2).CCLS.
  - L2: (38) (296/187.11).CCLS.
  - L3: (0) (296/203.4).CCLS.
  - L4: (125) (296/203.04).CCLS.
  - L6: (5) 15 and tire
  - L5: (394) (296/30).CCLS.
  - L8: (39) 17 and tire
  - L7: (558) (296/204).CCLS.
  - L9: (335) L7 and rear
  - L10: (0) ("11and12and17").PN.
  - L11: (1) 11 and 12 and 17
  - L12: (1) 11 and 17
  - L13: (1) 11 and 15
  - L14: (0) 12 and 13 and 15
  - L15: (1) 12 and 15
  - L16: (26) 17 and 15
  - L17: (11) Combined citation search 1
  - L18: (13) Combined citation search 2
- Failed
  - "138"/\$.ccls. and line\$

**Search**

**DBs** US-PGPUB:USPAT:USOCR  Plurals  Highlight all hit terms initially

**Default operator:** OR

( "3541668" | "4848835" | "4875733" | "5018780" | "5110177" | "5180206" | "5409289" | "5472259" | "5567005" ).PN. OR ( "5829824" ).URPN.

**Structured form** **Custom form** **BRS form** **IS&R form** **Hits** **Details** **Image**

Type	L #	Hits	Search Text	DBs	Time	Stam	Comment	Error
BRS	L8	39	17 and tire	USPA T	2004/12/0	7 07:23		
IS&R	L7	558	(296/204).CCLS.	US-P GPUB	2004/12/0	7 08:18		
BRS	L9	335	L7 and rear	US-P GPUB	2004/12/0	7 08:37		
IS&R	L10	0	("11and12and17").PN.	US-P GPUB	2004/12/0	7 08:38		
BRS	L11	1	11 and 12 and 17	US-P GPUB	2004/12/0	7 08:39		
BRS	L12	1	11 and 17	US-P GPUB	2004/12/0	7 08:39		
BRS	L13	1	11 and 15	US-P GPUB	2004/12/0	7 08:39		
BRS	L14	0	12 and 13 and 15	US-P GPUB	2004/12/0	7 08:40		
BRS	L15	1	12 and 15	US-P GPUB	2004/12/0	7 08:40		
BRS	L16	26	17 and 15	US-P GPUB	2004/12/0	7 08:40		
BRS	L17	11	("2021780"   "4793629"   "4822096")	US-P GPUB	2004/12/0	7 08:45		
BRS	L18	13	("3541668"   "4848835"   "4875733")	US-P GPUB	2004/12/0	7 08:46		

**BRS form** **IS&R form** **Hits** **Details** **HTML**

Ready

**BEST AVAILABLE COPY**